

Collins Center

Fly Schedule

Pipe #	Dist. from plaster line	Dist. from house curtain	High trim	Pipe length	Usage	Purchase
0	0'-4"	-1'-5"	50'-0"	88'	fire curtain	single
1	1'-0"	-0'-9"	50'-2"	88'	house valance	single
2	1'-9"	0'-0"	48'-0"	88'	house curtain	single
3	2'-7"	0'-10"	55'-0"	88'		double
4	3'-6"	1'-9"	35'-0"	88'	#1 electric	single
5	5'-0"	3'-3"	55'-0"	88'		double
6	5'-6"	3'-9"	55'-0"	88'		double
7	6'-3"	4'-6"	55'-0"	88'	orchestra panel	double
8	7'-0"	5'-3"	55'-0"	63'	legs	double
9	7'-6"	5'-9"	55'-0"	88'	movie screen	double
10	8'-0"	6'-0"	55'-0"	88'		double
11	8'-6"	6'-9"	55'-0"	88'		double
12	9'-6"	7'-9"	50'-0"	88'	#2 electric	single
13	10'-3"	8'-6"	55'-0"	63'		double
14	11'-3"	9'-6"	52'-0"	63'		single
15	11'-9"	10'-0"	50'-2"	63'		single
16	12'-3"	10'-6"	50'-2"	88'	orchestra panel	single
17	13'-0"	11'-3"	50'-2"	88'	legs	single
18	13'-6"	11'-9"	50'-2"	88'	mid-stage traveler	single
19	14'-0"	12'-3"	52'-0"	63'		single
20	15'-0"	13'-3"	35'-0"	88'	#3 electric	single
21	16'-0"	14'-3"	52'-0"	63'		single
22	16'-6"	14'-9"	50'-2"	88'		single
23	17'-0"	15'-3"	50'-2"	88'		single
24	17'-6"	15'-9"	52'-0"	63'	traveler track	single
25	18'-3"	16'-6"	50'-2"	88'	orchestra panel	single
26	19'-0"	17'-3"	50'-2"	88'	legs	single
27	19'-6"	17'-9"	50'-2"	88'		single
28	20'-0"	18'-3"	52'-0"	63'		single
29	20'-6"	18'-9"	52'-0"	63'		single
30	21'-6"	19'-9"	35'-0"	88'	#4 electric	single
31	22'-6"	20'-9"	52'-0"	63'		single
32	23'-0"	21'-3"	50'-2"	88'		single
33	23'-6"	21'-9"	52'-0"	63'		single
34	24'-3"	22'-6"	52'-0"	63'	orchestra panel	single
35	25'-0"	23'-3"	50'-2"	88'	legs	single
36	25'-6"	23'-9"	50'-2"	88'		single
37	26'-0"	24'-3"	50'-2"	88'		single
38	27'-0"	25'-3"	50'-2"	88'	#5 electric	single
39	28'-0"	26'-3"	52'-0"	63'		single
40	39'-0"	27'-3"	50'-2"	88'		single
41	29'-6"	27'-9"	50'-2"	88'		single
42	30'-0"	28'-3"	52'-2"	63'	cyclorama	single
43	31'-6"	29'-9"	50'-2"	88'		single